

SEARCH WARRANT
G.L. c. 276 §§ 1-7

TRIAL COURT OF MASSACHUSETTS
District COURT DEPARTMENT
Stoughton DIVISION

SEARCH WARRANT DOCKET NUMBER
22-55-SW-0010

TO THE SHERIFFS OF OUR SEVERAL COUNTIES OR THEIR DEPUTIES, ANY STATE POLICE OFFICER, OR ANY CONSTABLE OR POLICE OFFICER OF ANY CITY OR TOWN, WITHIN OUR COMMONWEALTH:

Proof by affidavit, which is hereby incorporated by reference, has been made this day and I find that there is **PROBABLE CAUSE** to believe that the property described below:

- ☐ Has been stolen, embezzled, or obtained by false pretenses.
☒ Is intended for use or has been used as the means of committing a crime.
☒ Has been concealed to prevent a crime from being discovered.
☐ Is unlawfully possessed or concealed for an unlawful purpose.
☒ Is evidence of a crime or is evidence of criminal activity.
☐ Other (specify):

YOU ARE THEREFORE **COMMANDED** within a reasonable time and in no event later than seven days from the issuance of this search warrant to search for the following property:

See Addendum A.

☐ At:

Which is occupied by and/or in the possession of:

☐ On the person or in the possession of:

You ☒ are ☐ are not also authorized to conduct the search at any time during the night.

You ☐ are ☐ are not also authorized to enter the premises without announcement. N/A

You ☒ are ☐ are not also commanded to search any person present who may be found to have such property in his or her possession or under his or her control or to whom such property may have been delivered.

YOU ARE FURTHER **COMMANDED** if you find such property or any part thereof, to bring it, and when appropriate, the persons in whose possession it is found before the

Stoughton Division of the District Court Department.

Date Issued
1-31-22

First or Administrative Justice
WITNESS: O'MALLEY J.

Signature of Justice, Clerk-Magistrate or Assistant Clerk

Printed name of Justice, Clerk-Magistrate or Assistant Clerk
KEVIN RUSSELL

ADDENDUM A

- Blood, skin, physiological fluids and secretions, hair, fibers, fingerprints, palm prints, footprints, shoeprints, items containing traces of any of the above-mentioned articles;
- Paperwork containing information about care custody and control of the vehicle.
- Clothing reasonably worn by John O'Keefe.
- Alcoholic beverage containers.
- Any electronic devices used for communication.
- Fragments/Pieces of glassware.
- Receipts evidencing alcohol consumption.
- Data contained within Air Bag Control Module, Roll Over Modules, Powertrain Control Module or Global Positioning Systems.
- Data contained within the vehicles In Vehicle Infotainment Systems ("IVT").













DO NOT CROSS

DO NOT



3





1

911

965

DO NOT CROSS

POLICE LINE DO NOT CROSS

23

LX570

CANTON POLICE

POLICE LINE DO NOT CROSS

POLICE








3

POLICE LINE

LX570





1

911



APR 23

POLICE LINE DO NOT CROSS

POLICE LINE DO NOT CROSS

POLICE

POLICE



POLICE LINE DO NOT CROSS



LX570





3

CANTON
4x4

POLICE LINE DO NOT CROSS

POLICE LINE DO NOT CROSS

POLICE LINE DO NOT CROSS

POLICE LINE DO NOT CROSS



CANTON POLICE

POLICE



3

CANTON POLICE

DUNLOP



4



COMMONWEALTH OF MASSACHUSETTS
NON-COMMERCIAL
03/22/2021
INITIAL
3
EXPIRES
NON

POLICE LINE DO NOT



LEXUS

AGC AUTOMOTIVE

E6 43R-999237

DOT-20 FL14 AS1

AGS1656 103

LAMISAFE



LEXUS

AGC AUTOMOTIVE

E043R-000287

DOT-20 ML14 AS1

AGC1686 15S

LAMISAFE



01/21


MFD BY: TOYOTA MOTOR CORPORATION
(GMP) 1300G (1300LBI)
GMR-FRONT 1300G (1300LBI) WITH 275/50R21 TIRES.
RR 2188 1/2" RIMS.
1300G (1300LBI) WITH 275/50R21 TIRES.
RR 2188 1/2" RIMS.
THIS VEHICLE CONFORMS TO ALL APPLICABLE FEDERAL MOTOR
VEHICLE SAFETY STANDARDS IN EFFECT ON THE DATE OF
MANUFACTURE SHOWN ABOVE.

MPV

C/TR: 202/LR02 UR/201L-GN2GKA
A/TN: A04A/AE80F MADE IN JAPAN 200

G

TIRE AND LOADING INFORMATION			RENSEIGNEMENTS SUR LES PNEUS ET LE CHARGEMENT		
SEATING CAPACITY: TOTAL 5 The combined weight of occupants and cargo should never exceed 500 kg (1100 lb).			NOMBRE DE PLACES: TOTAL 5 Le poids total des occupants et du chargement ne doit jamais dépasser 500 kg ou 1100 lb.		
TIRE	SIZE	COLD TIRE PRESSURE	PNEU	DIMENSIONS	PRESSION DES PNEUS A FROID
FRONT	275/50R21	230kPa, 33PSI	AVANT	275/50R21	230kPa, 33PSI
REAR	275/50R21	230kPa, 33PSI	ARRIÈRE	275/50R21	230kPa, 33PSI
SPARE	275/50R21	230kPa, 33PSI	DE SECOURS	275/50R21	230kPa, 33PSI
SEE OWNER'S MANUAL FOR ADDITIONAL INFORMATION			VOIR LE MANUEL DE L'USAGER POUR PLUS DE RENSEIGNEMENTS		



MFD BY: TOYOTA MOTOR CORPORATION
GVR: 15350111 WITH 275/50R21 TIRES.
GVR: 15350111 WITH 275/50R21 TIRES.
RR. 15350111 WITH 275/50R21 TIRES.
THIS VEHICLE CONFORMS TO ALL APPLICABLE FEDERAL MOTOR
VEHICLE SAFETY STANDARDS IN EFFECT ON THE DATE OF
MANUFACTURE.
MPV
C/TR: 200/LRD
A/TN: ADAM/ABOF
UR 2011 - GUYANA
MADE IN JAPAN
200
G

TIRE AND LOADING INFORMATION			RENSEIGNEMENTS SUR LES PNEUS ET LE CHARGEMENT		
SEATING CAPACITY: TOTAL 5 FRONT 2 REAR 3 The combined weight of occupants and cargo should never exceed 580 kg or 1285 lbs.			NOMBRE DE PLACES: TOTAL 5 AVANT 2 ARRIERE 3 Le poids total des occupants et du chargement ne doit jamais dépasser 580 kg ou 1285 lb.		
TIRE	SIZE	COLD TIRE PRESSURE	PNEU	DIMENSIONS	PRESSION DES PNEUS A FROID
FRONT	275/50R21	230kPa, 33PSI	AVANT	275/50R21	230kPa, 33PSI
REAR	275/50R21	230kPa, 33PSI	ARRIERE	275/50R21	230kPa, 33PSI
SPARE	275/50R21	230kPa, 33PSI	DE SECOURS	275/50R21	230kPa, 33PSI
SEE OWNER'S MANUAL FOR ADDITIONAL INFORMATION			VOIR LE MANUEL DE L'USAGER POUR PLUS DE RENSEIGNEMENTS		

**CAUTION: LOAD
CARRYING CAPACITY
REDUCED**
Modifications to this
vehicle have reduced
the original load
carrying capacity by
15 kg or
34 lbs
JTJFV7AX1M4343547
60E90













COOL BOX INFORMATION
-Turning cool box on also turns on front air conditioning. When cool box is kept air conditioner cannot be turned off. -When outside temperature is 20°C or higher, the function to keep things cool in the cool box will not work. See Owner's Manual for details.
-When the cool box is turned on, the front air conditioning will be turned on. The cool box will not work if the front air conditioning is not turned on.
-When the cool box is turned on, the front air conditioning will be turned on. The cool box will not work if the front air conditioning is not turned on.
-When the cool box is turned on, the front air conditioning will be turned on. The cool box will not work if the front air conditioning is not turned on.
-When the cool box is turned on, the front air conditioning will be turned on. The cool box will not work if the front air conditioning is not turned on.

COOL BOX
PWR





CRYSTORAMA.COM

Join the Crystorama social community by sharing your
#crystorama style on Instagram.



FRAGILE
HANDLE WITH CARE

5008-656





POLICE

FRAGILE
HANDLE WITH CARE

CRYSTORAMA.COM

Join the Crystorama social community by sharing your
#crystorama STYLE on Instagram.





POLICE

Parquet Twister XL
Miele

CRISTY













ON POLICE

POLICE LINE DO NOT CROSS





POLICE





WARNING
SECOND SEAT
This seat is equipped with a second seat belt. Always use proper seating technique. Buckle up! Please don't drink and drive. For more information, please refer to the owner's manual. © 2015 Mopar, a division of the Chrysler Group LLC. All rights reserved.















MM#KEA-88200-0F
QUANTITY: 1
POP-0009683

1965

SAFETY INFORMATION
Please read the following information carefully before operating this vehicle.
This vehicle is equipped with a safety system that includes a driver's air bag and a passenger's air bag. The driver's air bag is located in the center of the dashboard. The passenger's air bag is located in the front of the passenger seat. Both air bags are designed to inflate in the event of a collision. It is important that all occupants wear their seat belts and that the driver remains sober and alert at all times. For more information, please refer to the owner's manual.











LX570

LX 570

1

DO NOT CROSS





X570

CANTON POLICE

POLICE LINE DO NOT CROSS



























Small white sticker with a black crosshair and illegible text.

LX570











































































